



# SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION					
Product:	A-500 OIL SPOT PRIMER		Part Number:	2900-A500	
Manufacturer:	W. R. MEADOWS OF WESTERN CANADA		Address:	21 Streambank Avenue	
Telephone:	(780) 400-1772			Sherwood Park, AB T8H 1N1	
Revision Date:	7/12/2024			In case of emergency, dial (800) 424-9300 (CHEMTREC)	
Product Use:	Surface Primer Product				
SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS					
HMIS		HAZARD STATEMENTS			
Health	1	WARNING!			
Flammability	1	Causes skin irritation. (Category 2)			
Reactivity	0	PRECAUTIONARY STATEMENTS			
Personal Protection		Avoid direct contact.			
SECTION 3: HAZARDOUS COMPONENTS					
Chemical Name:	CAS Number	% by Weight	SARA 313	Vapor Pressure (mm Hg@20°C)	LEL (@25°C)
1. 2-Butoxyethanol	111-76-2	1-5	Yes	0.6	1.1
2. 2-Hydroxyethyl Cellulose	9004-62-0	0-1	No	N/A	N/A
N/A: Not Applicable					
SECTION 4: EMERGENCY AND FIRST AID PROCEDURES					
<b>EYE CONTACT:</b> If irritation or redness develops, move victim from exposure source. Flush eyes with water for fifteen (15) minutes. If symptoms persist, seek medical attention.					
<b>SKIN CONTACT:</b> Remove contaminated shoes/clothing. Wash affected areas with mild soap and water. If symptoms of irritation persist, seek medical attention.					
<b>INHALATION:</b> Not expected to be an exposure route as supplied. If respiratory symptoms develop, seek medical attention.					
<b>INGESTION:</b> Dilute with liquid unless the victim is unconscious or very drowsy. Do not induce vomiting. If vomiting spontaneously occurs, prevent lung aspiration. Seek immediate medical attention.					
<b>MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC:</b> See Section Eleven for Symptoms/Effects.					
SECTION 5: FIRE AND EXPLOSIVES HAZARDS					
<b>FLASHPOINT:</b> Product will not flash due to water content.					
<b>EXTINGUISHING MEDIA:</b> Water fog, foam, dry chemical.					
<b>CHEMICAL/COMBUSTION HAZARDS:</b> Carbon monoxide, carbon dioxide, and incomplete combustion products.					
<b>PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT:</b> Avoid smoke inhalation. Use appropriate personal protective equipment.					
SECTION 6: ACCIDENTAL RELEASE MEASURES					
<b>SPILL OR LEAK PROCEDURES:</b> Avoid direct contact. Dike and contain spilled material. Remove source of spill if safe to do so. Apply absorbent and place clean-up material in sealed/marked containers for proper disposal. Clean-up materials will be classified as non-hazardous waste.					
SECTION 7: HANDLING AND STORAGE					
<b>SAFE HANDLING PROCEDURES:</b> Avoid direct contact.					
<b>SAFE STORAGE:</b> Prevent product from freezing.					

# SAFETY DATA SHEET

Date of Preparation: 07/12/24

Page 2 of 3

2900-A500

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Chemical Name:</u>	OSHA				ACGIH			
	<u>PEL</u>	<u>PEL/CEILING</u>	<u>PEL/STEL</u>	<u>SKIN</u>	<u>TLV</u>	<u>TLV/CEILING</u>	<u>TLV/STEL</u>	<u>SKIN</u>
1. 2-Butoxyethanol	50 PPM	N/E	N/E	No	20 PPM	N/E	N/E	N/E
2. 2-Hydroxyethyl Cellulose	N/E	N/E	N/E	No	N/E	N/E	N/E	N/E

\*: Asphalt Fumes      N/E: Not Established

**ENGINEERING CONTROLS:** None required under normal use conditions.

**PERSONAL PROTECTIVE EQUIPMENT:** Safety glasses, chemical-resistant gloves and clothing.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 100 °C	VAPOR DENSITY: N/A	% VOLATILE BY VOLUME: N/A
EVAPORATION RATE: <1 (Ether=1)	pH LEVEL: N/A	% VOLATILE BY WEIGHT: 30
WEIGHT PER GALLON:	PRODUCT APPEARANCE: Black Liquid	VOC CONTENT: N/D
ODOR: Mild Asphaltic	ODOR THRESHOLD: N/D	MELTING/FREEZING POINT: N/D
FLASH POINT: See Section 5	FLAMMABILITY: N/D	UEL/LEL: N/D
VAPOR PRESSURE: N/D	RELATIVE DENSITY: N/D	SOLUBILITY: N/D
PARTITION COEFFICIENT: N/D	AUTOIGNITION TEMPERATURE: N/D	DECOMPOSITION TEMPERATURE: N/D
VISCOSITY: N/D		N/D: Not Determined

## SECTION 10: STABILITY/REACTIVITY

**STABILITY:** Stable.      **HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS AND MATERIALS TO AVOID:** Strong oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None recognized.

## SECTION 11: TOXICOLOGICAL INFORMATION

**EYE CONTACT:** Direct contact may cause mild irritation.

**SKIN CONTACT:** Direct contact may cause slight skin irritation. Prolonged/repeated contact may result in irritation.

**INHALATION:** Not anticipated to be an exposure route.

**INGESTION:** Not anticipated to be an exposure route.

**SIGNS AND SYMPTOMS:** Symptoms of eye irritation include tearing, reddening, and swelling. Symptoms of skin irritation include redness and swelling. Gastrointestinal irritation symptoms include nausea, vomiting, and abdominal discomfort. Symptoms of respiratory irritation include runny nose, sore throat, coughing, chest discomfort, shortness of breath, and reduced lung function.

**AGGRAVATED MEDICAL CONDITIONS:** Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to this product.

## SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/E	DEGRADABILITY: N/E	BIOACCUMULATIVE POTENTIAL: N/E
SOIL MOBILITY: N/E	OTHER ADVERSE EFFECTS: None Recognized	N/E: Not Established

## SECTION 13: WASTE DISPOSAL INFORMATION

**WASTE DISPOSAL INFORMATION:** Solidified product can be landfill disposed. No free liquids.

## SECTION 14: TRANSPORTATION INFORMATION

**HAZARDOUS/NON-HAZARDOUS MATERIAL:** Not regulated by DOT.

**UN NUMBER:** None.

**HAZARD CLASS:** N/A

**PACKING GROUP:** N/A

**UN PROPER SHIPPING NAME:** N/A

**ENVIRONMENTAL HAZARDS:** None recognized.

**BULK TRANSPORTATION INFORMATION:** None.

**SPECIAL PRECAUTIONS:** Prevent product from freezing.

*N/A: Not Applicable*

## SAFETY DATA SHEET

Date of Preparation: 07/12/24	Page 3 of 3	2900-A500
<b>SECTION 15: REGULATORY INFORMATION</b>		
OTHER REGULATORY CONSIDERATIONS: None recognized.		
<b>SECTION 16: OTHER INFORMATION</b>		
PREPARATION DATE:	7/12/2024	
PREPARED BY:	Dave Carey	

---

---

*The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.*

---

---