



SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION												
Product:	SPECTRUM 930 Patina Acid Stain		Part Number:	3300-933								
Manufacturer:	W. R. MEADOWS OF CANADA		Address:	70 Hannant Court	Milton, Ontario Canada L9T 5C1							
Telephone:	(905) 878-4122		In case of emergency, dial (800) 424-9300 (CHEMTREC)									
Revision Date:	4/2/2025											
Product Use:	Concrete Stain											
SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS												
HMIS		HAZARD STATEMENTS										
Health	3	DANGER!										
Flammability	0	Causes severe skin burns and eye damage. (Category 1A)										
Reactivity	0	Harmful if inhaled. (Category 4)										
Personal Protection		Causes serious eye damage. (Category 1)										
May be fatal if swallowed and enters airways.(Category 1)												
PRECAUTIONARY STATEMENTS												
Keep containers closed when not in use.												
Avoid breathing vapors and direct contact.												
Store in well-ventilated location.												
Wear appropriate Personal Protective Equipment.												
SECTION 3: HAZARDS COMPONENTS												
Chemical Name:	CAS Number	% by Weight	SARA 313	Vapor Pressure (mm Hg@20°C)	LEL (@25°C)							
1. Hydrochloric Acid	7647-01-0	1-10	No	N/A	N/A							
2. Ferrous Chloride	7447-39-4	20-15	No	N/A	N/A							
3. Chromic Chloride	10025-73-7	1-10	No	N/A	N/A							
N/A = Not Applicable												
Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."												
SECTION 4: EMERGENCY AND FIRST AID PROCEDURES												
EYE CONTACT: Flush eyes with water for fifteen (15 minutes). Seek immediate medical attention.												
SKIN CONTACT: Wash affected areas with water for fifteen (15 minutes). Seek immediate medical attention.												
INHALATION: If respiratory symptoms develop, move victim from exposure source and into fresh air. Seek immediate medical attention.												
INGESTION: Dilute with liquid unless the victim is unconscious or very drowsy. Seek immediate medical attention.												
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.												
SECTION 5: FIRE AND EXPLOSIVES HAZARDS												
FLASHPOINT: This product will not flash due to high water content.												
EXTINGUISHING MEDIA: Water fog.												
CHEMICAL/COMBUSTION HAZARDS: Acid gases and incomplete combustion products.												
PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid vapor inhalation. Personal protective equipment should include helmet, face shield, bunker coat, gloves, rubber boots, and a positive pressure NIOSH-approved self-contained breathing apparatus.												
SECTION 6: ACCIDENTAL RELEASE MEASURES												
SPILL OR LEAK PROCEDURES: Avoid direct contact. Dike and contain spilled material. Remove source of spill if safe to do so.												
Evacuate all non-essential personnel from immediate area. Neutralize residues with a mild alkaline material until pH is neutral.												
Place spilled material in marked/sealed containers for disposal. Allow containers to vent as required.												



SAFETY DATA SHEET

Date of Preparation: 4/2/2025

Page 2 of 3

3300-933

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact. Handle as a corrosive material.

SAFE STORAGE: Keep containers closed when not in use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name:	OSHA				ACGIH			
	PEL	PEL/CEILING	PEL/STEL	SKIN	TWA	TLV/CEILING	TLV/STEL	SKIN
1. Hydrochloric Acid	5 PPM	N/E	N/E	Yes	5 PPM	N/E	N/E	No
2. Ferrous Chloride	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
3. Chromic Chloride	0.5 mg/m ³ *	N/E	N/E	Yes	0.5 mg/m ³ *	N/E	N/E	N/E

*: As Chromium N/E: Not Established

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact. Handle as a corrosive material.

SAFE STORAGE: Keep containers closed when not in use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name:	OSHA				ACGIH			
	PEL	PEL/CEILING	PEL/STEL	SKIN	TWA	TLV/CEILING	TLV/STEL	SKIN
1. Hydrochloric Acid	5 PPM	N/E	N/E	Yes	5 PPM	N/E	N/E	No
2. Ferrous Chloride	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
3. Chromic Chloride	0.5 mg/m ³ *	N/E	N/E	Yes	0.5 mg/m ³ *	N/E	N/E	N/E

*: As Chromium N/E: Not Established

ENGINEERING CONTROLS: Use with adequate ventilation.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/E	VAPOR DENSITY: >1 (Air=1)	% VOLATILE BY VOLUME: N/D
EVAPORATION RATE: <1 (Ether=1)	pH LEVEL: N/A	% VOLATILE BY WEIGHT: N/D
WEIGHT PER GALLON: 9.41	PRODUCT APPEARANCE: Brown Liquid	VOC CONTENT: 0 g/L
ODOR: Sharp Acidic	ODOR THRESHOLD: N/D	MELTING/FREEZING POINT: N/D
FLASH POINT: See Section 5	FLAMMABILITY: N/D	UEL/LEL: N/D
VAPOR PRESSURE: N/D	RELATIVE DENSITY: N/D	SOLUBILITY: N/D
PARTITION COEFFICIENT: N/D	AUTOIGNITION TEMPERATURE: N/D	DECOMPOSITION TEMPERATURE: N/D
VISCOSITY: N/D	N/A = Not Applicable N/D = Not Determined N/E = Not Established	

SECTION 10: STABILITY/REACTIVITY

STABILITY: Stable. **HAZARDOUS POLYMERIZATION:** Will not occur.

CONDITIONS AND MATERIALS TO AVOID: Excessive heat, alkaline materials, and alkali metals.

HAZARDOUS DECOMPOSITION PRODUCTS: Acid gases, incomplete combustion products.

SECTION 11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Corrosive to the eyes. Will cause severe tissue damage, corneal injury, and possible blindness.

SKIN CONTACT: Corrosive to the skin. Will cause severe tissue damage with skin ulcerations/burns.

INHALATION: Corrosive to the respiratory tract, resulting in chemical burns and possible pulmonary edema.

INGESTION: Corrosive to the digestive tract. Will cause chemical burns.

SIGNS AND SYMPTOMS: Symptoms include reddening, irritation, swelling, and burns to the affected tissues. Tissue destruction may occur.

AGGRAVATED MEDICAL CONDITIONS: Pre-existing medical conditions may be aggravated by exposure to this product.

OTHER HEALTH EFFECTS: Poison by skin contact, inhalation, and intraperitoneal routes. Chromic Chloride is classified by the IARC as a Group 3 item.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/E	DEGRADABILITY: N/E	BIOACCUMULATIVE POTENTIAL: N/E
SOIL MOBILITY: N/E	OTHER ADVERSE EFFECTS: None recognized.	N/E = Not Established

SAFETY DATA SHEET

Date of Preparation: 4/2/2025	Page 3 of 3	3300-933
SECTION 13: WASTE DISPOSAL INFORMATION		
WASTE DISPOSAL INFORMATION: Product is considered a hazardous waste for disposal purposes (D002).		
SECTION 14: TRANSPORTATION INFORMATION		
HAZARDOUS/NON-HAZARDOUS MATERIAL:	Hazardous.	
UN NUMBER:	3264	HAZARD CLASS: 8
UN PROPER SHIPPING NAME:	Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid, Ferrous Chloride)	
ENVIRONMENTAL HAZARDS:	Toxic to aquatic organisms.	
BULK TRANSPORTATION INFORMATION:	Not applicable. Product not shipped in bulk configuration.	
SPECIAL PRECAUTIONS:	Keep containers closed.	
SECTION 15: REGULATORY INFORMATION		
OTHER REGULATORY CONSIDERATIONS:	None recognized.	
SECTION 16: OTHER INFORMATION		
PREPARATION DATE:	4/2/2025	
PREPARED BY:	Dave Carey	

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.
