



# SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION							
Product:	AIR-SHIELD™ LIQUID FLASHING	Part Number:	6035-000				
Manufacturer:	W. R. MEADOWS OF CANADA	Address:	70 Hannant Court				
Telephone:	(905) 878-4122		Milton, Ontario Canada L9T 5C1				
Revision Date:	4/24/2024		In case of emergency, dial (800) 424-9300 (CHEMTREC)				
Product Use:	Adhesive Sealant Coating						
SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS							
HMIS		HAZARD STATEMENTS					
Health	2	DANGER!					
Flammability	0	May damage fertility or unborn child. (Category 1)					
Reactivity	0	May cause damage to organs through prolonged/repeated exposures. (Category 2)					
Personal Protection	B	May cause an allergic skin reaction. (Category 1)					
		Causes serious eye irritation. (Category 2A)					
PRECAUTIONARY STATEMENTS							
		Avoid direct contact.					
		Wear appropriate personal protective equipment.					
SECTION 3: HAZARDS COMPONENTS							
Chemical Name:	CAS Number	% by Weight	SARA 313	Vapor Pressure (mm Hg@20°C)	LEL (@24°C)		
1. Limestone	1317-65-3	10-20	No	N/A	N/A		
				N/A: Not Applicable			
Under the reporting requirements of Section 313 of Title III of the Superfund Amendments Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."							
SECTION 4: EMERGENCY AND FIRST AID PROCEDURES							
<b>EYE CONTACT:</b> If irritation or redness develops, move victim away from exposure source and into fresh air. Flush eyes with water for fifteen (15) minutes. If symptoms persist, seek medical attention.							
<b>SKIN CONTACT:</b> Wash affected area(s) with mild soap and water. If symptoms persist, seek medical attention.							
<b>INHALATION:</b> An unlikely exposure route. Remove to fresh air. Consult a physician, if symptoms occur/persist.							
<b>INGESTION:</b> An unlikely exposure route. If ingestion occurs, consult a physician or poison control center. Do not induce vomiting.							
<b>MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC:</b> See Section Eleven for Symptoms/Effects.							
SECTION 5: FIRE AND EXPLOSIVES HAZARDS							
<b>FLASHPOINT:</b> Not applicable.							
<b>EXTINGUISHING MEDIA:</b> Use water fog, foam, dry chemicals, or carbon dioxide.							
<b>CHEMICAL/COMBUSTION HAZARDS:</b> Thermal decomposition may produce carbon monoxide, carbon dioxide and incomplete combustion products.							
<b>PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT:</b> Containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure build-up which could result in container rupture. Fire responders should wear full emergency equipment including self-contained breathing apparatus.							



# SAFETY DATA SHEET

Date of Preparation: 4/24/24

Page 2 of 3

6035-000

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**SPILL OR LEAK PROCEDURES:** Product is a paste and is not expected to migrate from the release area. For small spills place absorbent materials and place in non-leaking, marked containers sealed tightly for disposal.

## SECTION 7: HANDLING AND STORAGE

**SAFE HANDLING PROCEDURES:** Use personal protective equipment as specified in other sections. Avoid direct contact.

**SAFE STORAGE:** Store in cool, dry location. Prevent moisture contamination.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name:	OSHA				ACGIH			
	PEL	PEL/CEILING	PEL/STEL	SKIN	TLV	TLV/CEILING	TLV/STEL	SKIN
1. Limestone*	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E

N/E = Not Established \*: Limestone is in solution. No exposure is anticipated unless the product is dried/abraded.

**ENGINEERING CONTROLS:** No specific controls needed under normal use conditions.

**PERSONAL PROTECTIVE EQUIPMENT:** Wear safety glasses/goggles and chemical-resistant gloves. Respiratory protection not normally required. Avoid direct contact with eyes and skin. Wash thoroughly after handling and before eating or drinking.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/E	VAPOR DENSITY: >1 (AIR = 1)	% VOLATILE BY VOLUME: N/E (Theoretical)
EVAPORATION RATE: N/E	pH LEVEL: N/A	% VOLATILE BY WEIGHT: N/E (Theoretical)
WEIGHT PER GALLON: N/E	PRODUCT APPEARANCE: Green Paste	VOC CONTENT: 9.4 g/L
ODOR: Mild Organic	ODOR THRESHOLD: N/D	MELTING/FREEZING POINT: N/D
FLASH POINT: See Section 5	FLAMMABILITY: N/D	UEL/LEL: N/D
VAPOR PRESSURE: N/D	RELATIVE DENSITY: N/D	SOLUBILITY: N/D
PARTITION COEFFICIENT: N/D	AUTOIGNITION TEMPERATURE: N/D	DECOMPOSITION TEMPERATURE: N/D
VISCOSITY: N/D	N/A: Not Applicable N/D: Not Determined N/E: Not Established	

## SECTION 10: STABILITY/REACTIVITY

**STABILITY:** Stable.

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS AND MATERIALS TO AVOID:** Avoid oxidizing materials.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None known.

## SECTION 11: TOXICOLOGICAL INFORMATION

**EYE CONTACT:** If direct contact occurs, this product may cause serious eye irritation.

**SKIN CONTACT:** Exposure may cause mild skin irritation. Prolonged or repeated contact may cause redness, drying, and cracking of the skin. Persons with pre-existing skin disorders may be more susceptible to the effects of this material. Prolonged or repeated contact may result in defatting and drying of the skin, which may result in dermatitis. May cause skin sensitization reactions.

**INHALATION:** This is not anticipated to be an exposure pathway due to low product volatility.

**INGESTION:** Ingestion may cause irritation of the gastrointestinal tract and/or ulceration/burns in the throat and mouth. Ingestion may result in nausea, vomiting, diarrhea, and restlessness.

**SIGNS AND SYMPTOMS:** Symptoms of eye irritation include pain, tearing, and swelling. Symptoms of skin irritation include reddening, swelling, and rash. Symptoms of respiratory irritation include runny nose, sore throat, abdominal pain, nausea, vomiting, and diarrhea.

**AGGRAVATED MEDICAL CONDITIONS:** Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to this product.

**OTHER HEALTH EFFECTS:** None known.

## SAFETY DATA SHEET

Date of Preparation: 4/24/24	Page 3 of 3	6035-000		
<b>SECTION 12: ECOLOGICAL INFORMATION</b>				
ECOTOXICITY: N/A	DEGRADABILITY: N/A	BIOACCUMULATIVE POTENTIAL: N/A		
SOIL MOBILITY: N/A	OTHER ADVERSE EFFECTS: N/A	N/A: Not Applicable		
<b>SECTION 13: WASTE DISPOSAL INFORMATION</b>				
WASTE DISPOSAL INFORMATION: Observe all federal, state, and local regulations regarding proper disposal.				
<b>SECTION 14: TRANSPORTATION INFORMATION</b>				
HAZARDOUS/NON-HAZARDOUS MATERIAL: Not regulated by DOT.	HAZARD CLASS: N/A	PACKING GROUP: N/A		
UN NUMBER: None.				
UN PROPER SHIPPING NAME: N/A				
ENVIRONMENTAL HAZARDS: None recognized.				
BULK TRANSPORTATION INFORMATION: None.				
SPECIAL PRECAUTIONS: None.	N/A: Not Applicable			
<b>SECTION 15: REGULATORY INFORMATION</b>				
OTHER REGULATORY CONSIDERATIONS: None recognized.				
<b>SECTION 16: OTHER INFORMATION</b>				
PREPARATION DATE:	4/24/2024			
PREPARED BY:	Dave Carey			

---

*The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.*

---